

**HARC Results 2007 and 2010**  
**Summary Tables with**  
**Comparisons to National Goals and**  
**Results from Regional Surveys**



**Community Health Monitor for**  
**Eastern Riverside County**  
**2010**

## Summary Tables of HARC Results 2007 and 2010 Compared to National Goals and Results from Regional Surveys

We have created summary tables for Adults, Seniors, Children 0-17, Children 0-5, and Children 6-17 to provide a snapshot of our data in one location with comparisons to results obtained by other regional surveys and national goals. These tables show survey data for 2007 (if included in the most recent survey) and 2010.

Each cell contains several pieces of information. On top is the proportion of residents in a given category, such as the proportion of adults who lack health care insurance coverage (20.5% in 2010 and 14.8% in 2007, as shown in the table excerpt on the next page). In the middle of the cell is the 95% confidence interval around the estimate (17.8% to 23.5% in 2010). At the bottom is the population estimate that corresponds to the percent (in 2010, an estimated 106,652 adult residents lacked health care coverage). Putting these elements together, the data say that 20.5% of adults in 2010 (106,652 residents of Eastern Riverside County) are without health care coverage. We are 95% confident that the true population estimate lies between 17.8% and 23.5%. Based on the confidence intervals, there is a statistically significant change from 2007 to 2010 which is indicated in the table with an “\*” next to the confidence interval.

To determine if the difference across years (e.g., health care coverage between 2007 and 2010) is statistically significant, compare the confidence intervals for that group across the 2007 and 2010 data. If the confidence intervals overlap, the difference is not statistically significant. In our health care coverage example, the estimate of those without health coverage in 2007 was 12.3%-17.7%. In 2010, 17.8%-23.5% of respondents were estimated to be without coverage. Since these do not overlap, the difference between 2007 and 2010 is statistically significant. Meaning, the proportion of respondents who lack health care coverage significantly increased from 2007 to 2010.

Using a color-coded “Dashboard” format, the HARC Eastern Riverside County results for 2010 are compared to other regional surveys results and national goals: CHIS (California Health Interview Survey) for Riverside County and for the state of California, and Healthy People 2010 and 2020 goals. If the HARC result is at or better than the comparative measure, the comparative result is color-coded **BLUE**. If the HARC result is worse than the comparative measure, the result is color-coded **BROWN**. These comparisons do not look at statistical significance; the comparisons are only “better” or “worse.”


In the table excerpt, the HARC 2010 result for respondents without health care coverage is 20.5%. The CHIS result for Riverside County is 25.3%. Since the goal is to have fewer people without health care coverage and the HARC result is favorably lower than the CHIS Riverside County result, the CHIS result is color-coded **BLUE**. The comparison to CHIS California is also favorable so it is also color-coded **BLUE**. However, the Healthy People goal for 2010 and 2020 is to have no one without health care coverage, so both of those results are color-coded **BROWN** to indicate an unfavorable comparison.

The legend provides a key to the color-coding, information on the year of CHIS results being compared, whether the question was included in the survey year, and if the CHIS result is statistically unstable due to a small sample.

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Adult (18+) Survey**

Access				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Health care coverage	Currently without coverage	14.8% (12.3% - 17.7%) 80,950	<b>20.5%</b> (17.8% - 23.5%) * <b>106,652</b>	<b>25.3%</b> (19.2%-31.5%)	<b>20.9%</b> (16.9%-19.0%)	<b>0%</b>	<b>0%</b>
	Have now but without sometime in last 12 months	7.4% (5.3% - 10.3%) 34,881	<b>7.4%</b> (5.7% - 9.5%) <b>30,512</b>	<b>5.1%</b> (1.5% - 8.7%) **	<b>6.2%</b> (5.3% - 7.0%)		
	Without due to cost	28.1% (20.0% - 37.9%) 20,141	<b>43.1%</b> (35.0% - 51.5%) <b>44,225</b>	—	—		
Vision insurance coverage	Currently without Vision Coverage	N/A	<b>50.0%</b> (47.0% - 53.0%) <b>253,687</b>	—	—		

Legend:



HARC 2010 result at or better than comparison measure

HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS in the same way as HARC survey



**Summary Table of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Adult (18+) Survey**

Access				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Health care coverage	Currently without coverage	14.8% (12.3% - 17.7%) 80,950	<b>20.5%</b> (17.8% - 23.5%) * 106,652	<b>25.3%</b> (19.2%-31.5%)	<b>20.9%</b> (16.9%-19.0%)	<b>0%</b>	<b>0%</b>
	Have now but without sometime in last 12 months	7.4% (5.3% - 10.3%) 34,881	<b>7.4%</b> (5.7% - 9.5%) 30,512	<b>5.1%</b> (1.5% - 8.7%) **	<b>6.2%</b> (5.3% - 7.0%)		
	Without due to cost	28.1% (20.0% - 37.9%) 20,141	<b>43.1%</b> (35.0% - 51.5%) 44,225	—	—		
Prescription insurance coverage	Currently without Prescription Coverage	13.0% (10.6% - 16.0%) 60,474	<b>11.3%</b> (9.5% - 13.4%) 45,880	<b>3.9%</b> (2.7% - 5.2%)	<b>7.4%</b> (6.7% - 8.1%)		
Dental insurance coverage	Currently without Dental Coverage	50.0% (46.4% - 53.7%) 270,091	<b>54.5%</b> (51.5% - 57.5%) 280,454	<b>37.7%</b> (33.8%-41.6%)	<b>33.7%</b> (32.9%-34.5%)	<b>0%</b>	<b>0%</b>
Vision insurance coverage	Currently without Vision Coverage	N/A	<b>50.0%</b> (47.0% - 53.0%) 253,687	—	—		
Mental health insurance coverage	Currently without Mental Health Coverage	N/A	<b>44.5%</b> (41.1% - 47.9%) 189,225	—	—		

\* Significant change from 2007 to 2010

Utilization				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
General Health Status	Fair or poor	16.2% (13.7% - 19.0%) 88,961	<b>17.7%</b> (15.6% - 20.0%) 92,295	<b>18.8%</b> (13.5%-24.0%)	<b>18.4%</b> (17.5%-19.3%)		
Last visit to health care provider	Less than 6 months	73.6% (70.2% - 76.8%) 402,631	<b>66.9%</b> (63.8% - 69.9%) * 348,652	—	—		
Last visit for routine check-up	Less than one year	75.8% (72.3% - 79.0%) 410,073	<b>66.7%</b> (63.6% - 69.7%) * 344,142	—	—		
Usual source of care	No usual place	5.5% (3.9% - 7.7%) 28,292	<b>3.2%</b> (2.2% - 4.7%) 16,593	<b>20.8%</b> (14.9%-26.7%)	<b>16.5%</b> (15.6%-17.5%)	<b>4%</b>	
Barriers to receiving health care	Understanding benefits	N/A	<b>17.8%</b> (15.6% - 20.3%) 91,712	—	—		
	Taking time off work	15.3% (12.6% - 18.5%) 84,340	<b>13.6%</b> (11.4% - 16.1%) 70,543	—	—		
	Operating hours	14.9% (12.4% - 17.7%) 81,308	<b>12.5%</b> (10.6% - 14.7%) 64,746	—	—		
	HMO authorization	10.0% (8.0% - 12.4%) 53,308	<b>10.1%</b> (8.4% - 12.1%) 51,088	—	—		
	Transportation	7.9% (5.9% - 10.5%) 43,534	<b>7.2%</b> (5.7% - 9.1%) 37,781	—	—		
	Finding doctor comfortable with	9.3% (7.5% - 11.6%) 51,228	<b>6.6%</b> (5.4% - 8.1%) 34,363	—	—		
	Language barriers	7.1% (5.1% - 9.7%) 39,061	<b>3.4%</b> (2.6% - 4.5%) * 17,712	—	—		

\* Significant change from 2007 to 2010

Legend:  HARC 2010 result at or better than comparison measure  
 HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary Table of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Adult (18+) Survey**

Prevention				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Blood Cholesterol Screening	Have never been checked	26.9% (23.3% - 30.7%) 142,291	<b>21.3%</b> (18.6% - 24.3%) 108,758	<b>10.7%</b> (8.4% - 13.0%) +	<b>10.5%</b> (10.0%-11.0%) +		
	Not checked in last 5 years	3.0% (2.0% - 4.6%) 11,645	<b>4.8%</b> (3.3% - 6.9%) 19,132	<b>3.1%</b> (2.0% - 4.2%) +	<b>3.9%</b> (3.6% - 4.2%) +		
Colorectal Cancer Screening	Have never had a home blood stool test (age 50+)	48.3% (44.2% - 52.4%) 145,911	<b>48.7%</b> (45.7% - 51.6%) 136,317	—	—		
	Have never had a colonoscopy or sigmoidoscopy (age 50+)	N/A	<b>31.1%</b> (28.3% - 34.1%) 87,474	—	—	<b>50%</b>	
Dental Care	One year or more since last dental appointment	N/A	<b>36.5%</b> (33.5% - 39.5%) 189,442	—	—		
	Avoided visit due to cost	N/A	<b>28.3%</b> (23.6% - 33.5%) 53,121	—	—		
<b>Men's Health</b>							
Prostate Cancer Screening	Have never had a PSA test (male age 40+)	28.2% (23.5% - 33.4%) 47,464	<b>27.8%</b> (23.1% - 32.9%) 45,576	<b>60.7%</b> (49.8%-71.7%)	<b>56.5%</b> (54.5%-58.4%)		
	Have never had a digital rectal exam (male age 40+)	27.5% (22.8% - 32.8%) 48,123	<b>22.5%</b> (18.3% - 27.2%) 38,264	—	—		
<b>Women's Health</b>							
Breast Cancer Screening	Have never had a mammogram (female age 40+)	6.4% (4.6% - 8.9%) 12,474	<b>8.7%</b> (6.1% - 12.1%) 15,193	<b>8.5%</b> (2.5% - 14.5%) **	<b>7.5%</b> (6.7% - 8.3%)		
	Have never had a clinical breast exam (female age 18+)	18.8% (14.2% - 24.6%) 54,410	<b>13.8%</b> (10.9% - 17.4%) 35,632	—	—		
Cervical Cancer Screening	Have never had a pap smear (female age 18+)	9.2% (6.4% - 13.1%) 26,416	<b>5.9%</b> (4.1% - 8.6%) 15,293	<b>10.2%</b> (5.0% - 15.4%) ^	<b>9.1%</b> (8.2% - 10.0%) ^	<b>3%</b>	
HPV Vaccination	Have had an HPV vaccination (women 18-33)	N/A	<b>19.1%</b> (11.5% - 30.0%) 11,977	—	—		
HPV Vaccine number of shots	Are compliant with HPV vaccine guidelines (3 shots)	N/A	<b>61.3%</b> (32.5% - 83.8%) 7,338	—	—		
HIV Screening	Have never had an HIV test (18-64)	50.3% (45.5% - 55.1%) 171,789	<b>64.0%</b> (60.9% - 66.9%) 329,948	<b>48.2%</b> (44.3%-52.2%) +	<b>46.9%</b> (46.1%-47.7%) +		

\* Significant change from 2007 to 2010

Legend:



HARC 2010 result at or better than comparison measure

HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey



**Summary Table of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Adult (18+) Survey**

Health Behaviors				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Alcohol Use	Drank on one or more days in last month	55.0% (51.3% - 58.6%) 293,535	<b>61.6%</b> (58.6% - 64.5%) <b>319,165</b>	<b>56.6%</b> (53.3%-60.0%) +	<b>60.3%</b> (59.5%-61.0%) +		
	Binge drinking in last month (1+ times)	23.2% (19.4% - 27.5%) 69,910	<b>27.1%</b> (23.4 - 31.2%) <b>85,908</b>	<b>18.1%</b> (15.1%-21.0%) +	<b>17.6%</b> (17.0%-18.2%) +	<b>13.4%</b>	<b>24.3%</b>
	Drove drunk in last month one or more times	2.5% (1.5% - 4.0%) 7,674	<b>4.3%</b> (2.6% - 6.9%) <b>13,715</b>	—	—		
Tobacco Use	Smoke cigarettes everyday or some days	13.9% (11.6% - 16.5%) 76,237	<b>15.4%</b> (13.3% - 17.9%) <b>80,607</b>	<b>17.0%</b> (11.8%-22.1%)	<b>13.6%</b> (12.8%-14.4%)	<b>12%</b>	<b>12%</b>
	Attempted to quit in last 12 months	60.9% (52.0% - 69.2%) 46,399	<b>57.3%</b> (49.2% - 65.0%) <b>46,063</b>	—	—	<b>80%</b>	<b>80%</b>

Sexual Behavior							
Sexually Active	In last 12 months	N/A	<b>69.1%</b> (66.4% - 71.7%) <b>333,984</b>	<b>83.1%</b> (78.4%-87.9%)	<b>82.9%</b> (82.0%-83.9%)		
	Use condoms to prevent STDs	N/A	<b>27.7%</b> (23.9% - 31.9%) <b>91,595</b>	—	—		
STD Education	Doctor discussed condom use to prevent STD in last 12 months	N/A	<b>18.2%</b> (15.1% - 21.7%) <b>60,614</b>	—	—		

Major Diseases				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Diabetes	Ever diagnosed	9.5% (7.8% - 11.5%) 50,118	<b>8.4%</b> (7.2% - 9.8%) <b>44,021</b>	<b>6.9%</b> (5.4% - 8.3%)	<b>8.5%</b> (7.8% - 9.1%)		
	Taken a course on diabetes management	66.2% (57.0% - 74.4%) 33,189	<b>64.2%</b> (56.9% - 70.9%) <b>28,154</b>	—	—	<b>60%</b>	<b>60%</b>
Obesity	Ever diagnosed	7.3% (6.0% - 8.8%) 39,931	<b>7.5%</b> (6.1% - 9.2%) <b>39,073</b>	—	—		

Disability				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Disability	Report at least one disability	23.8% (20.9% - 27.1%) 131,148	<b>24.2%</b> (21.9% - 26.8%) <b>126,588</b>	—	—		
	Use special equipment	9.4% (7.5% - 11.7%) 51,913	<b>8.7%</b> (7.4% - 10.1%) <b>45,379</b>	—	—		

Legend:  HARC 2010 result at or better than comparison measure  
 HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+= CHIS 2005



\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary Table of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Adult (18+) Survey**

Mental Health				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Mental Health Concerns	Mental health concerns in last 12 months	22.1% (19.2% - 25.4%) 121,752	<b>20.9%</b> (18.6% - 23.5%) 108,967	—	—		
	Problems serious enough to seek professional help	49.2% (41.2% - 57.3%) 60,226	<b>53.0%</b> (46.2% - 59.6%) 57,249	—	—		
	Still bothered by concern	35.3% (27.2% - 44.4%) 26,622	<b>38.6%</b> (32.6% - 45.0%) 41,980	—	—		
Mental Health Diagnoses	Depressive disorder	8.3% (6.6% - 10.3%) 45,275	<b>9.2%</b> (7.7% - 11.1%) 48,085	—	—		
	Generalized anxiety disorder	4.4% (3.1% - 6.3%) 24,101	<b>5.9%</b> (4.8% - 7.3%) 30,861	—	—		
	Panic disorder	3.7% (2.4% - 5.8%) 20,277	<b>3.2%</b> (2.5% - 4.1%) 16,617	—	—		
	Post-traumatic stress disorder	3.0% (2.0% - 4.4%) 16,161	<b>3.1%</b> (2.3% - 4.2%) 16,038	—	—		
	Phobia	3.4% (2.0% - 5.8%) 18,720	<b>2.0%</b> (1.4% - 2.9%) 10,295	—	—		
	Obsessive-compulsive disorder	1.4% (0.6% - 3.3%) 7,718	<b>1.8%</b> (1.2% - 2.7%) 9,338	—	—		
	Bipolar disorder	1.9% (1.0% - 3.7%) 10,374	<b>1.7%</b> (1.1% - 2.7%) 8,874	—	—		
	Schizophrenia	0.4% (0.2% - 0.8%) 2,283	<b>0.9%</b> (0.5% - 1.5%) 4,676	—	—		
	Mental Health Treatment	Visit a mental health professional in last 12 months	N/A	<b>24.8%</b> (20.0% - 30.4%) 32,418	<b>35.7%</b> (26.9%-44.6%)	<b>42.9%</b> (39.5%-46.4%)	
Visit a primary health care provider in last 12 months		N/A	<b>27.3%</b> (22.0% - 33.3%) 35,578	<b>38.4%</b> (28.3%-48.5%)	<b>25.8%</b> (23.1%-28.5%)		
Psychological counseling in last 12 months		N/A	<b>17.5%</b> (13.8% - 22.1%) 22,892	—	—		
Mental health medications in last 12 months		N/A	<b>40.7%</b> (35.1% - 46.6%) 53,042	—	—		
Mental Health Treatment Access	Could not get mental health care in last 12 months	N/A	<b>9.7%</b> (6.9% - 13.6%) 12,585	—	—		
	Could not get mental health medications in last 12 months	N/A	<b>7.2%</b> (5.0% - 10.4%) 9,346	—	—		
Suicide	Considered suicide in last 12 months	N/A	<b>3.6%</b> (2.5% - 5.1%) 18,539	—	—		
	Made a plan for suicide in last 12 months	N/A	<b>57.9%</b> (40.1% - 73.9%) 10,656	—	—		

Legend:

	HARC 2010 result at or better than comparison measure
	HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005



\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary Table of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Adult (18+) Survey**

Community Health				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
<b>Social and Emotional Needs</b>							
Food Assistance	In last 12 months	4.6% (3.2% - 6.6%) 25,364	<b>9.5%</b> (7.7% - 11.5%) * 49,375	—	—		
	Not able to receive it	N/A	<b>17.7%</b> (11.0% - 27.3%) 8,586	—	—		
Financial Assistance	In last 12 months	7.6% (5.4% - 10.4%) 41,520	<b>9.1%</b> (7.3% - 11.2%) 47,548	—	—		
	Not able to receive it	N/A	<b>43.3%</b> (32.6% - 54.6%) 20,187	—	—		
Utility Assistance	In last 12 months	5.2% (3.7% - 7.1%) 28,449	<b>7.6%</b> (6.1% - 9.5%) 39,882	—	—		
	Not able to receive it	N/A	<b>21.1%</b> (13.2% - 32.1%) 8,318	—	—		
Transportation Assistance	In last 12 months	5.0% (3.6% - 7.0%) 27,562	<b>6.9%</b> (5.5% - 8.7%) 36,170	—	—		
	Not able to receive it	N/A	<b>20.2%</b> (12.4% - 31.0%) 7,270	—	—		
Housing Assistance	In last 12 months	4.4% (2.9% - 6.6%) 24,148	<b>4.4%</b> (3.1% - 6.1%) 22,793	—	—		
	Not able to receive it	N/A	<b>46.6%</b> (29.7% - 64.3%) 10,236	—	—		
Home Health Care Assistance	In last 12 months	4.1% (2.7% - 6.1%) 22,577	<b>4.2%</b> (3.1% - 5.6%) 21,918	—	—		
	Not able to receive it	N/A	<b>23.4%</b> (12.8% - 39.0%) 5,110	—	—		
Rental Assistance	In last 12 months	3.5% (2.3% - 5.4%) 19,259	<b>3.8%</b> (2.7% - 5.3%) 19,693	—	—		
	Not able to receive it	N/A	<b>47.3%</b> (30.8% - 64.5%) 9,077	—	—		

\* Significant change from 2007 to 2010

Legend:  HARC 2010 result at or better than comparison measure  
 HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+= CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey



**Summary Table of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Adult (18+) Survey**

Weight, Activity and Nutrition				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
BMI	Overweight	38.3% (34.6% - 42.1%) 184,066	<b>38.2%</b> (35.2% - 41.2%) <b>186,303</b>	(36.0%-49.0%)	<b>33.6%</b> (32.5%-34.7%)		
	Obese	17.9% (15.3% - 20.8%) 86,110	<b>20.3%</b> (17.9% - 23.0%) <b>99,184</b>	<b>21.6%</b> (17.4%-25.8%)	<b>22.7%</b> (21.8%-23.6%)		
Weight Perception	Consider themselves overweight	N/A	<b>36.0%</b> (33.2% - 38.9%) <b>187,653</b>	—	—		
Weight Management	Tried to lose weight	N/A	<b>44.6%</b> (41.6% - 47.6%) <b>233,023</b>	—	—		
Activity	No physical activity or exercise in last 7 days	N/A	<b>16.4%</b> (14.5% - 18.6%) <b>85,517</b>	<b>14.3%</b> (11.7%-17.0%)	<b>14.0%</b> (13.5%-14.6%)		
	No strength training activity in last 7 days	N/A	<b>47.3%</b> (44.3% - 50.3%) <b>246,799</b>	—	—		
Nutrition	No meals prepared away from home in last 7 days	N/A	<b>19.5%</b> (17.4% - 21.8%) <b>101,185</b>	—	—		
Food Insecurity	Cut meal size or skipped meals due to cost	N/A	<b>13.0%</b> (10.9% - 15.4%) <b>67,893</b>	—	—		
	Skipped meals on whole day due to cost	N/A	<b>3.6%</b> (2.6% - 5.0%) <b>18,842</b>	—	—		
	Received emergency food assistance	N/A	<b>8.3%</b> (6.7% - 10.1%) <b>43,189</b>	—	—		



Demographics				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Sexual Orientation	LGBTQ	10.2% (8.2% - 12.7%) 51,369	<b>9.1%</b> (7.6% - 10.9%) <b>44,781</b>	—	—		
Residency	Full-time resident of ERC	73.3% (69.8% - 76.6%) 404,964	<b>80.0%</b> (77.4% - 82.4%) * <b>418,422</b>	—	—		
	U.S. citizen	85.6% (82.3% - 88.3%) 462,149	<b>90.9%</b> (89.0% - 92.5%) * <b>467,846</b>	<b>84.9%</b> (79.5%-90.3%)	<b>84.3%</b> (83.3%-85.3%)		

\* Significant change from 2007 to 2010

Socioeconomic Status				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Home ownership	Own home	73.1% (69.3% - 76.6%) 393,822	<b>66.7%</b> (63.5% - 69.8%) <b>342,107</b>	<b>67.4%</b> (60.8%-73.9%)	<b>61.1%</b> (59.9%-62.4%)		
Employment Status	Out of Work	4.2% (3.1% - 5.9%) 23,278	<b>10.6%</b> (8.8% - 12.8%) * <b>55,357</b>	<b>12.8%</b> (7.3%-18.3%)	<b>8.8%</b> (7.9%-9.7%)		
	Employed in one full-time job	76.5% (71.4% - 81.0%) 189,035	<b>65.7%</b> (60.5% - 70.5%) * <b>139,922</b>	—	—		
Poverty	At or below the FPL	10.5% (7.9% - 13.9%) 44,634	<b>12.0%</b> (10.0% - 14.5%) <b>50,921</b>	<b>18.2%</b> (12.6%-23.9%)	<b>16.0%</b> (15.0%-17.0%)		
	Above 300% FPL	55.4% (51.3% - 59.4%) 234,879	<b>47.8%</b> (44.4% - 51.1%) <b>202,202</b>	<b>47.7%</b> (41.5%-54.0%)	<b>52.2%</b> (51.1%-53.4%)		

\* Significant change from 2007 to 2010

Legend:

	HARC 2010 result at or better than comparison measure
	HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey



**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Senior (55+) Survey**

Access				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Health care coverage	Currently without coverage (65+)	2.8% (1.4% - 5.3%) 5,607	<b>0.6%</b> (0.2% - 1.4%) 920	<b>0.4%</b> (0 - 0.9) **	<b>0.9%</b> (0.6 - 1.3)	0%	0%
	No Medicare supplement insurance	N/A	<b>38.2%</b> (34.1% - 42.5%) 43,935	—	—		
Prescription insurance coverage	Currently without coverage	15.2% (12.5% - 18.2%) 42,144	<b>10.5%</b> (8.7% - 12.7%) 24,336	<b>5.1%</b> (3.4% - 6.8%)	<b>6.4%</b> (5.9% - 6.9%)		
Dental insurance coverage	Currently without coverage	N/A	<b>57.6%</b> (54.6% - 60.6%) 141,106	<b>43.5%</b> (39.3%-47.7%)	<b>39.7%</b> (38.6%-40.7%)	0%	0%
Vision insurance coverage	Currently without coverage	N/A	<b>42.4%</b> (39.3% - 45.6%) 103,330	—	—		
Mental health insurance coverage	Currently without coverage	N/A	<b>36.3%</b> (32.7% - 40.0%) 66,800	—	—		

Utilization				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
General Health Status	Fair or poor	15.4% (12.6% - 18.7%) 43,255	<b>17.2%</b> (15.2% - 19.4%) 42,449	<b>20.9%</b> (17.2%-24.7%)	<b>25.2%</b> (24.0%-26.5%)		

Disability				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Disability	Report at least one disability	20.9% (17.5% - 24.8%) 58,782	<b>23.4%</b> (21.0% - 26.1%) 57,873	—	—		
	Use special equipment	14.1% (11.0% - 18.0%) 39,728	<b>13.5%</b> (11.7% - 15.6%) 33,402	—	—		

Legend:

	HARC 2010 result at or better than comparison measure
	HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Senior (55+) Survey**

Community Health				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
<b>Social and Emotional Needs</b>							
Utility Assistance	In last 12 months	3.2% (2.5% - 4.2%) 8,981	<b>4.4%</b> (3.5% - 5.4%) 10,763	—	—		
	Not able to receive it	N/A	<b>18.8%</b> (10.3% - 31.7%) 1,969	—	—		
Food Assistance	In last 12 months	2.4% (1.5% - 3.6%) 6,616	<b>4.3%</b> (3.3% - 5.6%) 10,715	—	—		
	Not able to receive it	N/A	<b>11.4%</b> (6.4% - 19.4%) 1,215	—	—		
Financial Assistance	In last 12 months	3.1% (2.1% - 4.4%) 8,605	<b>4.3%</b> (3.2% - 5.7%) 10,567	—	—		
	Not able to receive it	N/A	<b>58.0%</b> (43.6% - 71.2%) 5,879	—	—		
Transportation Assistance	In last 12 months	4.7% (2.8% - 7.8%) 13,291	<b>4.0%</b> (3.1% - 5.2%) 9,946	—	—		
	Not able to receive it	N/A	<b>11.4%</b> (5.5% - 22.1%) 1,122	—	—		
Home Health Care Assistance	In last 12 months	3.7% (2.7% - 4.9%) 10,309	<b>4.0%</b> (3.1% - 5.1%) 9,862	—	—		
	Not able to receive it	N/A	<b>7.0%</b> (2.9% - 16.3%) 693	—	—		
Rental Assistance	In last 12 months	1.8% (1.2% - 2.7%) 5,028	<b>2.0%</b> (1.4% - 2.8%) 4,997	—	—		
	Not able to receive it	N/A	<b>36.1%</b> (20.6% - 55.1%) 1,803	—	—		
Housing Assistance	In last 12 months	2.5% (1.7% - 3.6%) 7,007	<b>1.6%</b> (1.1% - 2.3%) 4,041	—	—		
	Not able to receive it	N/A	<b>36.3%</b> (19.9% - 56.7%) 1,468	—	—		

Weight and Activity				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
BMI	Overweight	39.1% (34.6% - 43.7%) 98,503	<b>39.5%</b> (36.4% - 42.6%) 91,398	<b>37.3%</b> (31.6%-42.9%)	<b>37.0%</b> (35.7%-38.2%)		
	Obese	15.7% (13.0% - 18.8%) 39,579	<b>16.3%</b> (14.1% - 18.8%) 37,770	<b>21.4%</b> (17.5%-25.3%)	<b>24.4%</b> (23.3%-25.5%)		
Weight Perception	Consider themselves overweight	N/A	<b>35.4%</b> (32.5% - 38.5%) 87,452	—	—		
Weight Management	Tried to lose weight	N/A	<b>39.8%</b> (36.8% - 42.9%) 98,421	—	—		
Activity	No physical activity or exercise in last 7 days	N/A	<b>16.4%</b> (14.4% - 18.5%) 40,329	<b>20.6%</b> (17.0%-24.2%) ^	<b>17.7%</b> (16.9%-18.6%) ^		
	No strength training activity in last 7 days	N/A	<b>52.8%</b> (49.6% - 55.8%) 130,271	—	—		

Legend:

	HARC 2010 result at or better than comparison measure
	HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Senior (55+) Survey**

Nutrition				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Nutrition	No meals prepared away from home in last 7 days	N/A	<b>20.5%</b> (18.3% - 23.0%) 50,219	—	—		
	Food Insecurity	Cut meal size or skipped meals due to cost	N/A	<b>5.0%</b> (3.9% - 6.3%) 12,307	—	—	reduce food insecurity to 6%
Skipped meals on whole day due to cost		N/A	<b>1.3%</b> (0.8% - 2.2%) 3,215	—	—		
Received emergency food assistance		N/A	<b>4.7%</b> (3.6% - 6.2%) 11,741	—	—		

Senior Issues				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Senior Abuse	Victim of physical abuse	2.6% (1.7% - 4.0%) 7,111	<b>1.5%</b> (1.0% - 2.2%) 3,611	—	—		
	Victim of financial abuse	5.5% (3.4% - 8.7%) 14,684	<b>3.8%</b> (2.8% - 5.2%) 9,370	—	—		
Falls	Have fallen at least once in past 3 months	12.1% (9.9% - 14.8%) 32,745	<b>15.0%</b> (13.1% - 17.2%) 37,119	<b>11.8%</b> (8.6%-14.9%) ^	<b>14.5%</b> (13.5%-15.4%) ^		
	Had fall with injury	37.2% (28.1% - 47.2%) 12,140	<b>28.5%</b> (22.5% - 35.5%) 10,579	<b>48.5%</b> (34.6%-62.4%) ^	<b>46.6%</b> (43.4%-49.7%) ^		
	Fear of falling	22.5% (18.0% - 27.8%) 53,659	<b>20.4%</b> (18.2% - 22.7%) 50,316	—	—		
Daily Care	Need help with activities of daily living	N/A	<b>3.5%</b> (2.8% - 4.5%) 8,778	—	—		
	Not able to get help with activities of daily living	N/A	<b>7.7%</b> (4.0% - 14.2%) 660	—	—		
	Need help with activities required for independent living	N/A	<b>6.2%</b> (5.1% - 7.5%) 15,289	—	—		
	Not able to get help with activities required for independent living	N/A	<b>10.3%</b> (6.4% - 16.1%) 1,539	—	—		

Demographics				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Sexual Orientation	LGBTQ	10.2% (7.5% - 13.6%) 26,168	<b>9.6%</b> (8.0% - 11.6%) 22,251	—	—		
Residency	Full-time resident of ERC	52.5% (48.1% - 57.0%) 147,920	<b>64.9%</b> (61.5% - 68.2%) * 160,810	—	—		
	U.S. citizen	93.5% (91.0% - 95.3%) 260,273	<b>93.5%</b> (91.7% - 95.0%) 229,182	<b>94.9%</b> (92.6%-97.3%)	<b>94.6%</b> (93.9%-95.3%)		

\* Significant change from 2007 to 2010

Legend:

- HARC 2010 result at or better than comparison measure
- HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable


— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Senior (55+) Survey**

Socioeconomic Status				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Home ownership	Own home	88.3%	<b>85.7%</b>	<b>79.2%</b>	<b>76.6%</b>		
		(84.9% - 91.0%) 244,272	<b>(83.2% - 87.8%)</b> <b>209,774</b>	<b>(70.9%-87.5%)</b>	<b>(75.3%-77.9%)</b>		
Employment Status	Out of Work	1.7%	<b>4.9%</b>	<b>6.7%</b>	<b>2.7%</b>		
		(1.1% - 2.8%) 4,827	<b>(3.7% - 6.4%)</b> * <b>11,974</b>	<b>(0.9% - 12.4%)</b> <b>**</b>	<b>(2.3% - 3.2%)</b>		
Poverty	At or below the FPL	4.2%	<b>6.9%</b>	<b>13.8%</b>	<b>10.4%</b>		
		(2.7% - 6.3%) 8,438	<b>(5.1% - 9.1%)</b> <b>12,824</b>	<b>(8.1% - 19.6%)</b>	<b>(9.6% - 11.3%)</b>		
	Above 300% FPL	74.2%	<b>64.8%</b>	<b>53.3%</b>	<b>57.9%</b>		
		(70.2% - 77.8%) 150,588	<b>(61.4% - 68.0%)</b> * <b>121,084</b>	<b>(46.8%-59.8%)</b>	<b>(56.6%-59.2%)</b>		

\* Significant change from 2007 to 2010

Legend:



HARC 2010 result at or better than comparison measure

HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

\_\_ = not asked by CHIS or not asked in the same way as HARC survey

## Summary of HARC Results 2007 and 2010 Compared to Results from National and Regional Surveys Child (0 to 17) Survey

Child (0-17) Adult Access (Parent or Guardian of Child)				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Health care coverage	Currently without coverage	23.1% (19.0% - 27.7%) 33,870	<b>23.7%</b> (18.5% - 29.8%) 32,905	—	—	0%	0%
	Have now but without sometime in last 12 months	N/A	<b>15.6%</b> (9.9% - 23.6%) 16,479	—	—		
	Without due to cost	27.2% (18.4% - 38.2%) 8,917	<b>31.5%</b> (20.8% - 44.7%) 9,633	—	—		
Prescription insurance coverage	Currently without coverage	34.7% (29.9% - 39.7%) 49,330	<b>12.6%</b> (8.8% - 17.6%) * 13,275	—	—		
Dental insurance coverage	Currently without coverage	42.4% (37.2% - 47.8%) 61,759	<b>47.5%</b> (40.6% - 54.5%) 65,423	—	—	0%	0%
Vision insurance coverage	Currently without coverage	43.6% (38.3% - 49.0%) 63,125	<b>50.2%</b> (43.2% - 57.3%) 68,819	—	—		
Mental health insurance coverage	Currently without coverage	44.7% (39.1% - 50.4%) 57,354	<b>48.3%</b> (40.8% - 55.9%) 59,479	—	—		

\* Significant change from 2007 to 2010

Child (0-17) Access				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Health care coverage	Currently without coverage	15.7% (12.5% - 19.6%) 23,068	<b>7.9%</b> (5.5% - 11.2%) * 10,925	<b>3.8%</b> (1.8% - 5.8%)	<b>4.9%</b> (4.2% - 5.6%)	0%	0%
	Have now but without sometime in last 12 months	12.0% (8.8% - 16.2%) 14,778	<b>11.3%</b> (7.0% - 17.8%) 14,442	<b>6.1%</b> (3.7% - 8.4%)	<b>7.4%</b> (7.4% - 9.4%)		
	Without due to cost	25.5% (16.5% - 37.2%) 5,228	<b>38.3%</b> (20.5% - 59.8%) 3,810	—	—		
	Health care coverage publicly funded	69.7% (63.4% - 75.3%) 65,459	<b>65.0%</b> (56.9% - 72.3%) 75,700	<b>36.9%</b> (29.5%-44.3%)	<b>38.4%</b> (36.7%-40.0%)		
Prescription insurance coverage	Currently without coverage	22.8% (18.9% - 27.2%) 33,035	<b>14.2%</b> (10.5% - 19.0%) 19,600	<b>4.9%</b> (2.3% - 7.5%)	<b>6.1%</b> (5.3% - 6.9%)		
Dental insurance coverage	Currently without coverage	10.7% (7.8% - 14.4%) 15,503	<b>26.8%</b> (21.4% - 33.1%) 36,682	<b>25.4%</b> (19.6%-31.3%) ^	<b>19.6%</b> (18.5%-20.7%) ^	0%	0%
Vision insurance coverage	Currently without coverage	32.9% (28.2% - 38.1%) 46,271	<b>27.4%</b> (21.1% - 34.6%) 36,795	—	—		
Mental health insurance coverage	Currently without coverage	N/A	<b>28.1%</b> (22.5% - 34.5%) 32,872	—	—		

\* Significant change from 2007 to 2010

Legend:



HARC 2010 result at or better than comparison measure

HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+ = CHIS 2005

\*\* statistically unstable



— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (0 to 17) Survey**

Child (0-17) Utilization				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
General Health Status	Fair or poor	5.4%	<b>2.9%</b>	<b>5.1%</b>	<b>6.5%</b>		
		(3.6% - 7.9%) 7,888	(1.9% - 4.5%) 4,052	(1.0% - 9.2%) **	(5.6% - 7.3%)		
Last visit to health care provider	Less than 6 months	65.7%	<b>68.7%</b>	—	—		
		(60.0% - 71.0%) 94,394	(61.2% - 75.3%) 95,038				
Visit for routine check-up	Not in last 12 months	N/A	<b>31.4%</b>	—	—		
			(21.1% - 43.9%) 19,742				
Difficulty with health care provider appointment	Difficulty with time before getting an appointment	17.4%	<b>10.7%</b>	—	—		
		(13.6% - 21.9%) 20,820	(7.0% - 16.2%) 13,053				
	Difficulty with wait time before seeing the health care provider	11.9%	<b>16.3%</b>	—	—		
		(8.7% - 16.1%) 14,363	(12.0% - 21.9%) 19,861				
	Difficulty with demeanor or attitude of health care provider	8.7%	<b>6.3%</b>	—	—		
(5.4% - 13.6%) 10,423		(3.3% - 11.8%) 7,616					
Difficulty with demeanor or attitude of office staff	12.8%	<b>6.5%</b>	—	—			
	(8.6% - 18.7%) 15,332	(3.4% - 12.0%) 7,858					
Provider has no evening or weekend hours	56.7%	<b>55.1%</b>	—	—			
	(50.5% - 62.7%) 64,748	(47.0% - 62.8%) 63,798					
Prescription drug	Did not order due to cost	10.7%	<b>9.0%</b>	—	—		
		(7.8% - 14.4%) 15,503	(6.0% - 13.4%) 12,525				
Ordered test or treatment	Delayed in last 12 months	4.7%	<b>5.3%</b>	<b>7.0%</b>	<b>5.1%</b>		
		(3.1% - 7.1%) 6,861	(3.5% - 8.1%) 7,385	(3.9% - 10.2%)	(4.4% - 5.7%)		
	Delayed due to cost	41.7%	<b>24.6%</b>	—	—		
		(22.7% - 63.5%) 2,827	(9.9% - 49.1%) 1,813				

Child (0-17) Prevention				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Dental Care	Never been to a dentist	24.8%	<b>17.7%</b>	—	—		
		(20.6% - 29.4%) 36,287	(13.9% - 22.4%) 24,593				
	Visit last 6 months	N/A	<b>64.9%</b>	—	—		
Hearing check	Does not floss (>=5)	29.4%	<b>31.7%</b>	—	—		
		(24.1% - 35.4%) 28,576	(23.6% - 41.1%) 30,089				
	Never had a hearing check (<=5)	27.3%	<b>19.8%</b>	—	—		
Immunizations	Doctor or clinic has not reminded to get (<=5)	30.2%	<b>19.5%</b>	—	—		
		(22.3% - 39.5%) 14,050	(13.9% - 26.7%) 8,628				
	Schedules are not clear or easy to understand (<=5)	12.5%	<b>5.7%</b>	—	—		
		(7.5% - 20.2%) 5,699	(2.9% - 11.1%) 2,498				
	Need help with immunization services in the community (<=5)	17.8%	<b>19.5%</b>	—	—		
Did not receive HPV vaccine (female >=9)	7.9%	<b>74.2%</b>	<b>79.3%</b>	<b>76.6%</b>			
	(11.8% - 26.0%) 7,971	(10.7% - 32.8%) 8,409	(66.0%-92.6%) ^	(73.8%-79.4%) ^			
		N/A	(62.7% - 83.1%) 23,166				

Legend:

	HARC 2010 result at or better than comparison measure
	HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey



**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (0 to 17) Survey**

Child (0-17) Prevention				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Pool safety	Have pool	29.2% (24.2% - 34.8%) 42,929	<b>29.5%</b> (23.4% - 36.5%) 41,012	—	—		
	Pool is not fenced	26.0% (18.3% - 35.5%) 11,167	<b>26.4%</b> (17.9% - 37.2%) 10,834	—	—		
	Pool has no other safety device	30.6% (22.0% - 40.7%) 13,116	<b>26.6%</b> (18.0% - 37.3%) 10,871	—	—		
Bicycle, scooter, skateboard or skate usage	Did not wear helmet in last 12 months (>=2)	21.6% (17.1% - 26.8%) 27,326	<b>18.2%</b> (13.7% - 23.6%) 23,200	—	—		
Vision check	Has not had a vision check in the last 12 months (>=3)	52.9% (46.7% - 58.9%) 62,779	<b>42.4%</b> (34.6% - 50.6%) 50,376	—	—		

Child (0-17) Major Diseases				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Asthma	Ever diagnosed		<b>13.1%</b> (9.2% - 18.4%) 18,148	<b>14.4%</b> (8.9% - 19.8%)	<b>14.2%</b> (13.1%-15.3%)		
	Missed one or more days of day care or school due to asthma		<b>46.4%</b> (23.0% - 65.7%) 8,087	<b>27.9%</b> (20.9%-34.9%)	<b>23.1%</b> (19.5%-26.7%)		

Child (3-17) Mental Health				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Mental Health Concerns	Difficulties with emotions, concentration, behavior, or getting along with others	20.7% (16.6% - 25.5%) 24,740	<b>28.4%</b> (22.0% - 35.8%) 33,855	—	—		
	Difficulties severe	7.4% (3.9% - 13.5%) 1,730	<b>12.9%</b> (6.4% - 24.4%) 4,225	—	—		
	Still concerned by problem	N/A	<b>50.5%</b> (36.7% - 64.3%) 17,100	—	—		
Mental Health Diagnoses (3-17)	Attention Deficit Hyperactivity Disorder (ADHD) or Attention Deficit Disorder (ADD)	4.1% (2.5% - 6.7%) 4,971	<b>4.7%</b> (3.0% - 7.2%) 5,611	<b>3.0%</b> (1.1% - 5.0%) ** ^	<b>3.7%</b> (3.0% - 4.3%) ^		
	Developmental delay	5.4% (3.4% - 8.6%) 6,519	<b>4.4%</b> (2.5% - 7.6%) 5,254	—	—		
	Mood disorder (depressive or bipolar disorders)	1.7% (0.9% - 3.3%) 2,076	<b>3.4%</b> (1.3% - 8.5%) 4,022	—	—		
	Eating Disorders	3.2% (1.8% - 5.4%) 3,841	<b>3.0%</b> (1.4% - 6.6%) 3,604	—	—		
	Suicidal thoughts	1.5% (0.6% - 3.6%) 1,830	<b>2.6%</b> (0.7% - 8.5%) 3,079	—	—		
	Autism	1.8% (0.9% - 3.5%) 2,072	<b>2.0%</b> (0.7% - 5.5%) 2,401	—	—		
	Anxiety disorders (panic disorders, obsessive compulsive disorders, and phobia)	2.6% (1.3% - 5.1%) 3,126	<b>2.3%</b> (1.1% - 4.6%) 2,709	—	—		
	Mental Retardation	1.1% (0.5% - 2.5%) 1,288	<b>1.6%</b> (0.6% - 4.1%) 1,862	—	—		

Legend:

	HARC 2010 result at or better than comparison measure
	HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey



**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (0 to 17) Survey**

Child (3-17) Mental Health				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Mental Health Treatment (3-17)	Visit a mental health professional in last 12 months for mental health concern	N/A	19.5% (11.6% - 31.0%) 7,593	—	—		
	Visit a pediatrician or medical doctor in last 12 months for mental health concern	N/A	9.1% (4.7% - 16.7%) 3,533	—	—		
	Taken medications for mental health concerns in last 12 months	N/A	11.8% (5.2% - 24.6%) 4,582	—	—		
	Received psychological counseling for mental health concerns in last 12 months	N/A	12.1% (6.7% - 20.9%) 4,689	—	—		

Child (0-17) Weight, Nutrition and Activity				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
BMI	Overweight (>=2)	16.5% (12.5% - 21.5%) 16,541	12.1% (8.6% - 16.9%) 10,615	—	—		
	Obese (>=2)	32.7% (26.0% - 40.3%) 32,776	29.5% (21.8% - 38.4%) 25,746	—	—		
Weight Perception	Consider child to be overweight (>=2)	18.0% (13.6% - 23.5%) 22,937	13.5% (9.7% - 18.4%) 17,173	—	—		
Nutrition	Eats breakfast at home (>=2)	73.4% (66.7% - 79.1%) 93,173	70.9% (63.7% - 77.2%) 90,497	—	—		
	Ate no fast food in last 7 days (>=2)	N/A	27.8% (21.5% - 35.3%) 34,778	24.8% (17.8%-31.8%)	28.0% (26.5%-29.5%)		
	Ate dinner with the family everyday (>=2)	59.5% (54.2% - 64.7%) 87,377	58.5% (50.8% - 65.8%) 74,827	—	—		
Breastfeeding	Child was ever breastfed or fed breast milk (<=5)	N/A	75.3% (61.3% - 85.4%) 33,442	91.4% (86.6%-96.2%) +	86.5% (84.8% 88.3%) +	75%	81.9%
Food Insecurity	Cut child meal size or skipped meals due to cost	N/A	7.5% (4.9% - 11.3%) 10,458	—	—		
	Skipped child meals on whole day due to cost	N/A	1.0% (0.3% - 3.4%) 1,390	—	—		
Activity	Engaged in sedentary activities in last week (>=6)	59.5% (52.8% - 65.9%) 59,131	45.2% (36.6% - 54.2%) 41,290	—	—		
	Physically active every day in last week (>=6)	N/A	40.0% (31.4% - 49.3%) 36,813	—	—		
	Does not have a safe place to play outdoors (>=2)	N/A	6.4% (3.9% - 10.4%) 8,203	—	—		

\* Significant change from 2007 to 2010

Legend:  HARC 2010 result at or better than comparison measure  
 HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+= CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (0 to 17) Survey**

Child (0-17) Learning and Socialization				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
School achievement	Performing poor in academic classes (>=6)	4.3% (2.6% - 6.9%) 4,292	<b>4.3%</b> (2.2% - 8.3%) 4,046	—	—		
	Disciplined in school in last 12 months (>=6)	17.7% (12.9% - 23.8%) 17,512	<b>18.7%</b> (12.8% - 26.6%) 17,653	—	—		
School absenteeism	Missed one or more days in last year (>=6)	N/A	<b>77.8%</b> (70.47% - 83.9%) 69,594	—	—		
	If missed school day, it was missed due to illness (>=6)	N/A	<b>81.6%</b> (74.1% - 87.3%) 56,774	—	—		
Reading to child	Did not read to child in last 3 months (<=5)	9.1% (5.2% - 15.4%) 4,207	<b>4.7%</b> (1.5% - 13.8%) 2,084	—	—		
Child care	Could not find for a week or more in last 12 months (<=12)	N/A	<b>5.6%</b> (3.0% - 10.1%) 3,035	<b>5.0%</b> (1.3% - 8.8%) **	<b>6.2%</b> (5.2% - 7.3%)		
	Could not find child care due to cost (<=12)	N/A	<b>38.1%</b> (16.5% - 65.7%) 1,156	<b>24.2%</b> (21.4%-26.9%) **	<b>23.8%</b> (16.4%-31.2%)		
Parent Discussions	Have not spoken to child about suicide (>=6)	70.5% (63.0% - 77.0%) 70,513	<b>82.7%</b> (76.1% - 87.7%) 77,850	—	—		
	Have not spoken to child about eating disorders (>=6)	64.1% (56.7% - 70.8%) 63,784	<b>77.5%</b> (70.8% - 83.0%) 73,080	—	—		
	Have not spoken to child about interpersonal or domestic violence (>=6)	63.2% (55.9% - 70.1%) 62,754	<b>72.2%</b> (64.1% - 79.1%) 67,984	—	—		
	Have not spoken to child about depression or isolation (>=6)	67.7% (61.5% - 73.4%) 67,395	<b>69.4%</b> (60.9% - 76.9%) 65,560	—	—		
	Have not spoken to child about sexual issues/ pregnancy (>=6)	44.5% (37.7% - 51.6%) 44,198	<b>52.3%</b> (43.7% - 60.9%) 49,425	—	—		
	Have not spoken to child about gangs or violence (>=6)	36.8% (30.9% - 43.2%) 36,775	<b>51.0%</b> (42.3% - 59.6%) 48,138	—	—		
	Have not spoken to child about alcohol (>=6)	32.2% (26.6% - 38.3%) 32,240	<b>44.9%</b> (36.2% - 54.0%) 42,432	—	—		
	Have not spoken to child about smoking (>=6)	33.5% (27.7% - 39.8%) 33,488	<b>43.4%</b> (34.7% - 52.6%) 40,988	—	—		
	Have not spoken to child about drugs (>=6)	29.7% (24.3% - 35.6%) 29,662	<b>40.6%</b> (32.0% - 49.9%) 38,366	—	—		
	Have not spoken to child about dealing with anger (>=6)	31.1% (25.6% - 37.1%) 30,830	<b>37.8%</b> (29.5% - 46.9%) 35,635	—	—		

Legend:



HARC 2010 result at or better than comparison measure  
HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (0 to 17) Survey**

Child (0-17) Adult Demographics				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Citizenship status	U.S. citizen	70.4%	<b>78.3%</b>	—	—		
		(64.7% - 75.6%) 101,743	(72.6% - 83.1%) 103,864				

Child (0-17) Adult Socioeconomic Status				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Home ownership	Own home	53.8%	<b>48.4%</b>	—	—		
		(48.1% - 59.3%) 77,885	(41.3% - 55.4%) 64,981				
Employment Status	Out of Work	8.7%	<b>12.1%</b>	—	—		
		(5.8% - 12.9%) 12,547	(9.2% - 15.9%) 16,645				
	Employed in one full-time job	75.5%	<b>71.1%</b>	—	—		
(69.7% - 80.5%) 69,096	(61.9% - 78.8%) 60,297						
Poverty	At or below the FPL	27.9%	<b>27.5%</b>	15.7%	23.0%		
		(22.2% - 32.4%) 35,297	(22.0% - 33.7%) 34,070	(9.7% - 21.7%)	(21.5%-24.5%)		
	Above 300% FPL	19.9%	<b>20.2%</b>	45.7%	42.7%		
		(16.2% - 24.1%) 25,153	(15.0% - 26.6%) 25,026	(38.7%-52.6%)	(41.1%-44.3%)		

Legend:  HARC 2010 result at or better than comparison measure  
 HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey



**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (0 to 5) Survey**

Child (0-5) Adult Access (Parent or Guardian of Child)				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Health care coverage	Currently without coverage	20.0% (13.5% - 28.5%) 9,392	<b>26.3%</b> (17.1% - 38.2%) 11,683	—	—	0%	0%
	Have now but without sometime in last 12 months	N/A	<b>14.4%</b> (5.8% - 31.2%) 4,687	—	—		
	Without due to cost	42.1% (22.1% - 65.1%) 3,846	<b>26.5%</b> (12.1% - 48.6%) 3,092	—	—		
Prescription insurance coverage	Currently without coverage	35.4% (27.4% - 44.3%) 16,367	<b>12.1%</b> (7.4% - 19.4%) * 3,974	—	—		
Dental insurance coverage	Currently without coverage	43.0% (34.5% - 51.9%) 20,002	<b>46.9%</b> (35.8% - 58.2%) 20,598	—	—	0%	0%
Vision insurance coverage	Currently without coverage	44.0% (35.5% - 52.9%) 20,519	<b>45.5%</b> (34.6% - 56.9%) 19,901	—	—		
Mental health insurance coverage	Currently without coverage	45.7% (36.7% - 55.0%) 18,958	<b>49.0%</b> (36.7% - 61.5%) 18,976	—	—		

\* Significant change from 2007 to 2010

Child (0-5) Access				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Health care coverage	Currently without coverage	10.3% (6.7% - 15.5%) 4,822	<b>5.1%</b> (2.4% - 10.3%) 2,269	<b>2.2%</b> (0.0% - 4.5%) **	<b>4.1%</b> (2.9% - 5.2%)	0%	0%
	Have now but without sometime in last 12 months	14.6% (8.9% - 22.9%) 6,102	<b>11.2%</b> (4.3% - 26.3%) 4,718	<b>4.9%</b> (1.7 - 8.0) **	<b>7.7%</b> (6.1% - 9.3%)		
	Without due to cost	26.2% (11.4% - 49.4%) 1,138	<b>13.8%</b> (3.6% - 40.7%) 294	—	—		
	Health care coverage publicly funded	75.4% (66.5% - 82.6%) 25,866	<b>71.1%</b> (58.7% - 81.1%) 27,389	<b>40.4%</b> (28.2%-52.6%)	<b>45.0%</b> (42.2%-47.9%)		
Prescription insurance coverage	Currently without coverage	14.3% (9.8% - 20.4%) 6,715	<b>12.5%</b> (6.0% - 24.3%) 5,536	<b>5.1%</b> (1.6% - 8.6%) **	<b>6.7%</b> (5.1% - 8.4%)		
Dental insurance coverage	Currently without coverage	25.7% (19.1% - 33.7%) 11,629	<b>27.5%</b> (18.6% - 38.6%) 11,740	<b>20.4%</b> (11.9%-28.8%) ^	<b>17.6%</b> (15.9%-19.3%) ^	0%	0%
Vision insurance coverage	Currently without coverage	29.5% (22.4% - 37.7%) 12,825	<b>20.7%</b> (12.6% - 31.9%) 8636.882	—	—		
Mental health insurance coverage	Currently without coverage	N/A	<b>26.9%</b> (17.2% - 39.5%) 9,819	—	—		

Legend:

	HARC 2010 result at or better than comparison measure
	HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (0 to 5) Survey**

Child (0-5) Utilization				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
General Health Status	Fair or poor	5.1% (2.6% - 9.7%)	<b>3.3%</b> (1.5% - 7.1%)	<b>7.6%</b> (0% - 18.3%) **	<b>5.2%</b> (3.8% - 6.6%)		
		2,393	1,487				
Last visit to health care provider	Less than 6 months	81.4% (73.3% - 87.5%)	<b>87.8%</b> (82.0% - 91.9%)	—	—		
		37,592	39,023				
Visit for routine check-up	Not in last 12 months	N/A	<b>12.5%</b> (7.1% - 21.0%)	—	—		
			2,718				
Difficulty with health care provider appointment	Difficulty with time before getting an appointment	23.1% (16.4% - 31.6%)	<b>12.7%</b> (7.1% - 21.5%)	—	—		
		9,938	5,453				
	Difficulty with wait time before seeing the health care provider	15.3% (9.7% - 23.4%)	<b>20.8%</b> (13.7% - 30.4%)	—	—		
		6,579	8,941				
	Difficulty with demeanor or attitude of health care provider	8.3% (4.5% - 14.9%)	<b>5.1%</b> (2.1% - 12.1%)	—	—		
		3,537	2,166				
Difficulty with demeanor or attitude of office staff	9.4% (5.2% - 16.4%)	<b>7.0%</b> (3.3% - 14.3%)	—	—			
	4,010	3,020					
Provider has no evening or weekend hours	55.7% (46.4% - 64.6%)	<b>70.1%</b> (59.1% - 79.1%)	—	—			
	21,740	28,032					
Prescription drug	Did not order due to cost	9.7% (5.5% - 16.5%)	<b>9.5%</b> (3.4% - 23.8%)	—	—		
		4,552	4,206				
Ordered test or treatment	Delayed in last 12 months	4.4% (2.1% - 9.1%)	<b>5.9%</b> (2.7% - 12.4%)	<b>5.8%</b> (1.5%-10.0%) **	<b>4.3%</b> (3.4% - 5.2%)		
		2,026	2,628				
	Delayed due to lack of insurance	27.7% (5.4% - 72.0%)	<b>38.2%</b> (8.8% - 79.9%)	—	—		
		562	1,005				

Child (0-5) Prevention				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Dental Care	Never been to a dentist	49.5% (40.8% - 58.3%)	<b>44.2%</b> (33.9% - 55.1%)	<b>29.0%</b> (19.2%-38.8%) ^	<b>30.9%</b> (28.6%-33.3%) ^		
		23,245	19,641				
Hearing check	Visit last 6 months	N/A	<b>71.0%</b> (55.8% - 82.5%)	<b>55.6%</b> (40.6%-70.6%)	<b>58.7%</b> (55.4%-61.9%)		
			17,247				
Hearing check	Never had a hearing check (<=5)	27.3% (19.6% - 36.5%)	<b>19.8%</b> (13.5% - 28.2%)	—	—		
		12,638	8,772				
Immunizations	Doctor or clinic has not reminded to get (<=5)	30.2% (22.2% - 39.6%)	<b>19.5%</b> (13.9% - 26.7%)	—	—		
		14,050	8,628				
	Schedules are not clear or easy to understand (<=5)	12.5% (7.5% - 20.2%)	<b>5.7%</b> (2.9% - 11.1%)	—	—		
		5,699	2,498				
Need help with immunization services in the community (<=5)	17.8% (11.8% - 26.0%)	<b>19.5%</b> (10.7% - 32.8%)	—	—			
	7,971	8,409					
Safety seat	Seldom or never use (<=60 lbs)	1.8% (0.4% - 8.9%)	<b>1.0%</b> (0.2% - 4.2%)	—	—		
		592	343				

Legend:   HARC 2010 result at or better than comparison measure  
  HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (0 to 5) Survey**

Child (0-5) Prevention				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Pool safety	Have pool	21.9% (15.3% - 30.4%) 10,279	<b>29.2%</b> (19.7% - 40.9%) <b>12,970</b>	—	—		
	Pool is not fenced	33.4% (16.2% - 56.7%) 3,436	<b>15.3%</b> (6.5% - 32.1%) <b>1,990</b>	—	—		
	Pool has no other safety device	37.7% (19.5% - 60.2%) 3,878	<b>13.2%</b> (5.8% - 27.2%) <b>1,712</b>	—	—		
Bicycle, scooter, skateboard or skate usage	Did not wear helmet in last 12 months (>=2)	21.8% (12.4% - 35.6%) 5,943	<b>18.0%</b> (10.8% - 28.5%) <b>6,017</b>	—	—		
Vision check	Has not had a vision check in the past year(>=3)	59.5% (45.9% - 71.8%) 12,337	<b>51.2%</b> (34.1% - 68.0%) <b>12,794</b>	—	—		

Child (0-5) Major Diseases				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Asthma	Ever diagnosed	N/A	<b>14.0%</b> (6.4% - 27.7%) 6,137	<b>10.2%</b> (0.0% - 22.4%) **	<b>8.6%</b> (7.0% - 10.1%)		

Child (3-5) Mental Health				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Mental Health Concerns	Difficulties with emotions, concentration, behavior, or getting along with others	11.8% (5.5% - 23.4%) 2,483	<b>23.0%</b> (12.7% - 37.9%) <b>5,753</b>	—	—		
	Difficulties severe	5.2% (0.6% - 31.6%) 129	<b>5.3%</b> (1.3% - 19.0%) <b>304</b>	—	—		
	Still concerned by problem	N/A	<b>36.7%</b> (15.2% - 65.2%) <b>2,111</b>	—	—		

Child (0-5) Learning and Socialization				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Reading to child	Did not read to child in last 3 months (<=5)	9.1% (5.2% - 15.4%) 4,207	<b>4.7%</b> (1.5% - 13.8%) <b>2,084</b>	—	—		
Child care	Could not find for a week or more in last 12 months (<=12)	N/A	<b>11.1%</b> (5.9% - 19.8%) <b>4,909</b>	<b>5.0%</b> (1.3% - 8.8%) **	<b>6.2%</b> (5.2% - 7.3%)		
	Could not find child care due to cost (<=12)	N/A	<b>42.0%</b> (16.7% - 72.4%) <b>2,064</b>	<b>24.2%</b> (21.4%-26.9%) **	<b>23.8%</b> (16.4%-31.2%)		

Legend:  HARC 2010 result at or better than comparison measure  
 HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (0 to 5) Survey**

Child (0-5) Weight, Nutrition and Activity				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
BMI	Overweight (>=2)	18.9% (10.5% - 31.6%) 3,795	<b>3.4%</b> (1.5% - 7.5%) * 647	—	—		
	Obese (>=2)	40.4% (29.1% - 52.8%) 8,123	<b>29.6%</b> (16.6% - 46.9%) 5,580	—	—		<b>9.6%</b>
Weight Perception	Consider child to be overweight (>=2)	4.6% (2.5% - 8.3%) 2,158	<b>3.4%</b> (1.4% - 8.2%) 1,142	—	—		
	Eats breakfast at home (>=2)	82.7% (72.6% - 89.5%) 22,494	<b>84.4%</b> (69.0% - 93.0%) 28,259	—	—		
Nutrition	Ate no fast food in last 7 days (>=2)	N/A	<b>35.9%</b> (22.1% - 52.5%) 11,922	<b>32.0%</b> (20.8%-43.2%)	<b>35.2%</b> (32.2%-38.1%)		
	Ate dinner with the family everyday (>=2)	61.2% (52.3% - 69.4%) 28,710	<b>67.5%</b> (52.6% - 79.6%) 22,600	—	—		
Breastfeeding	Child was ever breastfed or fed breast milk (<=5)	N/A	<b>75.3%</b> (61.3% - 85.4%) 33,442	<b>91.4%</b> (86.6%-96.2%) +	<b>86.5%</b> (84.8% 88.3%) +	<b>75%</b>	<b>81.9%</b>
Food Insecurity	Cut child meal size or skipped meals due to cost	N/A	<b>1.5%</b> (0.5% - 4.7%) 664	—	—		
Activity	Does not have a safe place to play (>=2)	N/A	<b>8.7%</b> (3.8% - 18.8%) 2,878	—	—		

\* Significant change from 2007 to 2010

Child (0-5) Adult Demographics				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Citizenship status	U.S. citizen	70.6% (61.7% - 78.3%) 32,527	<b>76.3%</b> (64.7% - 84.9%) 32,816	—	—		

Child (0-5) Adult Socioeconomic Status				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Home ownership	Own home	47.9% (39.3% - 56.6%) 22,189	<b>39.2%</b> (28.8% - 50.6%) 16,885	—	—		
Employment Status	Out of Work	11.8% (7.1% - 19.0%) 5,425	<b>15.4%</b> (10.0% - 22.9%) 6,794	—	—		
	Employed in one full-time job	72.5% 18180.29672 93	<b>75.1%</b> (60.9% - 85.4%) 16,365	—	—		
Poverty	At or below the FPL	24.0% (16.6% - 33.3%) 9,453	<b>25.3%</b> (17.5% - 35.1%) 10,204	<b>14.8%</b> (8.4%-21.2%)	<b>27.3%</b> (24.6%-30.0%)		
	Above 300% FPL	18.3% (13.1% - 24.9%) 7,199	<b>26.4%</b> (15.7% - 41.0%) 10,649	<b>45.9%</b> (34.7%-57.2%)	<b>38.8%</b> (36.2%-41.3%)		

Legend:

	HARC 2010 result at or better than comparison measure
	HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (6 to 17) Survey**



Child (6-17) Adult Access (Parent or Guardian of Child)				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Health care coverage	Currently without coverage	24.5% (19.6% - 30.3%) 24,479	<b>22.5%</b> (16.6% - 29.7%) 21,222	—	—	0%	0%
	Have now but without sometime in last 12 months	N/A	<b>16.1%</b> (9.5% - 26.1%) 11,792	—	—		
	Without due to cost	21.4% (13.5% - 32.3%) 5,071	<b>34.7%</b> (21.1% - 51.3%) 6,541	—	—		
Prescription insurance coverage	Currently without coverage	34.3% (28.6% - 40.6%) 32,963	<b>12.8%</b> (8.1% - 19.6%) * 9,302	—	—		
Dental insurance coverage	Currently without coverage	42.1% (35.6% - 48.8%) 41,757	<b>47.8%</b> (39.2% - 56.6%) 44,826	—	—	0%	0%
Vision insurance coverage	Currently without coverage	43.4% (36.8% - 50.2%) 42,606	<b>52.4%</b> (43.6% - 61.1%) 48,918	—	—		
Mental health insurance coverage	Currently without coverage	44.2% (37.2% - 51.4%) 38,395	<b>48.0%</b> (38.7% - 57.4%) 40,503	—	—		

\* Significant change from 2007 to 2010

Child (6-17) Access				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Health care coverage	Currently without coverage	18.3% (14.0% - 23.5%) 18,247	<b>9.2%</b> (6.0% - 13.8%) * 8,656	<b>4.6%</b> (1.9% - 7.3%) **	<b>5.3%</b> (4.5% - 6.2%)	0%	0%
	Have now but without sometime in last 12 months	10.7% (7.2% - 15.7%) 8,677	<b>11.4%</b> (6.5% - 19.0%) 9,724	<b>3.6%</b> (3.6% - 9.8%)	<b>8.8%</b> (7.4% - 10.1%)		
	Without due to cost	25.3% (15.2% - 39.2%) 4,090	<b>44.9%</b> (23.9% - 67.9%) 3,516	—	—		
	Health care coverage publicly funded	66.3% (57.7% - 74.1%) 39,593	<b>61.9%</b> (51.5% - 71.3%) 48,311	<b>35.0%</b> (28.2%-41.9%)	<b>35.0%</b> (33.0%-37.1%)		
Prescription insurance coverage	Currently without coverage	26.8% (21.6% - 32.8%) 26,319	<b>15.0%</b> (10.9% - 20.3%) * 14,065	<b>4.8%</b> (1.5% - 8.1%) **	<b>5.8%</b> (4.9 - 6.7%)		
Dental insurance coverage	Currently without coverage	30.9% (25.3% - 37.2%) 30,614	<b>26.6%</b> (20.0% - 34.3%) 24,942	<b>27.4%</b> (20.0%-34.7%) ^	<b>20.4%</b> (19.1%-21.8%) ^	0%	0%
Vision insurance coverage	Currently without coverage	34.5% (28.5% - 41.1%) 33,446	<b>30.4%</b> (22.4% - 39.7%) 28,158	—	—		
Mental health insurance coverage	Currently without coverage	N/A	<b>28.7%</b> (22.0% - 36.4%) 23,053	—	—		

\* Significant change from 2007 to 2010

Legend:

	HARC 2010 result at or better than comparison measure
	HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable



— = not asked by CHIS or not asked in the same way as HARC survey



**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (6 to 17) Survey**

Child (6-17) Utilization				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
General Health Status	Fair or poor	5.5% (3.4% - 8.8%)	<b>2.7%</b> (1.6% - 4.5%)	<b>3.8%</b> (1.3% - 6.3%) **	<b>7.1%</b> (6.1% - 8.1%)		
		5,495 58.3%	2,564 <b>59.6%</b>				
Last visit to health care provider	Less than 6 months	56,802 (51.0% - 65.2%)	<b>56,015</b> (50.2% - 68.4%)	—	—		
Visit for routine check-up	Not in last 12 months	N/A	<b>41.5%</b> (27.2% - 57.3%)	—	—		
Difficulty with health care provider appointment	Difficulty with time before getting an appointment	14.1% (10.0% - 19.6%)	<b>9.7%</b> (5.2% - 17.3%)	—	—		
		10,882	7,600				
	Difficulty with wait time before seeing the health care provider	10.0% (6.5% - 15.1%)	<b>13.9%</b> (8.8% - 21.3%)	—	—		
		7,784	10,920				
	Difficulty with demeanor or attitude of health care provider	8.9% (4.7% - 16.2%)	<b>6.9%</b> (3.0% - 15.3%)	—	—		
		6,886	5,450				
Difficulty with demeanor or attitude of office staff	14.7% (8.9% - 23.4%)	<b>6.2%</b> (2.4% - 14.9%)	—	—			
	11,322	4,838					
Provider has no evening or weekend hours	57.3% (49.2% - 65.0%)	<b>47.1%</b> (37.4% - 57.1%)	—	—			
	43,008	35,765					
Prescription drug	Did not order due to cost	11.1% (7.7% - 15.9%)	<b>8.8%</b> (6.2% - 12.3%)	—	—		
		10,951	8,319				
Ordered test or treatment	Delayed in last 12 months	4.9% (2.9% - 7.9%)	<b>5.0%</b> (3.0% - 8.2%)	<b>7.7%</b> (3.5% - 11.9%)	<b>5.5%</b> (4.6% - 6.3%)		
		4,835	4,757				
	Delayed due to cost	45.3% (22.5% - 70.2%)	<b>38.1%</b> (16.8% - 65.3%)	—	—		
		2,153	1,813				

Child (6-17) Major Diseases				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Asthma	Ever diagnosed	N/A	<b>12.7%</b> (8.7% - 18.2%)	<b>16.3%</b> (10.6%-22.0%)	<b>16.5%</b> (15.1%-18.0%)		
	Missed one or more days of school due to asthma	N/A	<b>44.0%</b> (26.1% - 63.6%)	<b>15.5%</b> (8.6% - 22.4%)	<b>19.4%</b> (15.8%-23.0%)		
			5,163				

Legend:  HARC 2010 result at or better than comparison measure  
 HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (6 to 17) Survey**

Child (6-17) Prevention				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Dental Care	Never been to a dentist	13.1% (9.6% - 17.7%) 13,043	<b>5.3%</b> (2.7% - 10.1%) 4,953	—	—		
	Visit last 6 months	N/A	<b>63.3%</b> (54.3% - 71.4%) 56,028	—	—		
	Does not floss	28.1% (22.7% - 34.1%) 25,278	<b>30.6%</b> (22.1% - 40.6%) 27,121	—	—		
Immunizations	Not received an HPV vaccination (female >=9)	N/A	<b>25.8%</b> (16.9% - 37.3%) 8,075	—	—		
Safety seat or seat belt	Seldom or never use a safety seat (<=60 lbs)	22.4% (11.2% - 39.7%) 2,760	<b>20.6%</b> (12.0% - 33.1%) 1,878	—	—		
	Seldom or never use a seat belt (>60 lbs)	1.1% (0.4% - 3.4%) 832	<b>0.1%</b> (0.0% - 0.5%) 46	—	—		
Pool safety	Have pool	29.2% (24.2% - 34.8%) 42,929	<b>29.7%</b> (22.1% - 38.6%) 28,042	—	—		
	Pool is not fenced	26.0% (18.3% - 35.5%) 11,167	<b>31.5%</b> (19.9% - 46.0%) 8,844	—	—		
	Pool has no other safety device	30.6% (22.0% - 40.7%) 13,116	<b>32.8%</b> (20.8% - 47.4%) 9,158	—	—		
Bicycle, scooter, skateboard or skate usage	Did not wear helmet in last 12 months	21.6% (17.1% - 26.8%) 27,326	<b>18.2%</b> (13.0% - 24.9%) 17,184	—	—		
Vision check	Has not had a vision check in the last 12 months	51.5% (44.6% - 58.3%) 50,442	<b>40.1%</b> (31.4% - 49.4%) 37,582	—	—		

Legend:



HARC 2010 result at or better than comparison measure

HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (6 to 17) Survey**

Child (6-17) Mental Health				HARC Results vs. Comparison Measures				
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020	
Mental Health Concerns	Difficulties with emotions, concentration, behavior, or getting along with others	22.6% (17.8% - 28.1%) 22,257	<b>29.8%</b> (22.4% - 38.4%) 28,102	—	—			
	Difficulties severe	7.6% (3.9% - 14.3%) 1,602	<b>14.6%</b> (6.8% - 28.4%) 3,921	—	—			
	Still concerned by problem	N/A	<b>53.3%</b> (37.7% - 68.4%) 14,988	—	—			
Mental Health Diagnoses	Attention Deficit Hyperactivity Disorder (ADHD) or Attention Deficit Disorder (ADD)	4.6% (2.8% - 7.6%) 4,593	<b>5.4%</b> (3.4% - 8.6%) 5,128	<b>4.5%</b> (1.6% - 7.4%) **	<b>5.0%</b> (4.2% - 5.9%)			
	Developmental delay	6.2% (3.8% - 9.9%) 6,088	<b>3.6%</b> (1.9% - 6.7%) 3,376	—	—			
	Mood disorder (depressive or bipolar disorders)	2.1% (1.1% - 4.0%) 2,076	<b>4.3%</b> (1.6% - 10.7%) 4,022	—	—			
	Eating Disorders	3.4% (1.9% - 6.0%) 3,380	<b>2.3%</b> (1.0% - 5.3%) 2,207	—	—			
	Suicidal thoughts	1.8% (0.8% - 4.3%) 1,830	<b>3.1%</b> (0.8% - 10.7%) 2,902	—	—			
	Autism	1.6% (0.7% - 3.6%) 1,554	<b>1.5%</b> (0.4% - 5.0%) 1,407	—	—			
	Anxiety disorders (panic disorders, obsessive compulsive disorders, and phobia)	3.1% (1.6% - 6.2%) 3,126	<b>2.7%</b> (1.3% - 5.8%) 2,595	—	—			
	Mental Retardation	1.2% (0.5% - 2.9%) 1,160	<b>1.5%</b> (0.4% - 4.8%) 1,384	—	—			
	Mental Health Treatment	Visit a mental health professional in last 12 months for mental health concern	N/A	<b>23.2%</b> (13.3% - 37.2%) 7,099	—	—		
		Visit a pediatrician or medical doctor in last 12 months for mental health concern	N/A	<b>7.0%</b> (3.6% - 13.2%) 2,155	—	—		
Taken medications for mental health concerns in last 12 months		N/A	<b>14.4%</b> (6.2% - 30.0%) 4,404	—	—			
Received psychological counseling for mental health concerns in last 12 months		N/A	<b>11.7%</b> (6.3% - 20.7%) 3,584	—	—			

Legend:  HARC 2010 result at or better than comparison measure  
 HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^= CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (6 to 17) Survey**

Child (6-17) Weight, Nutrition and Activity				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
BMI	Overweight	15.9% (11.6% - 21.4%) 12,746	<b>14.5%</b> (10.0% - 20.6%) 9,968	—	—		
	Obese	30.8% (22.9% - 40.0%) 24,653	<b>29.4%</b> (20.7% - 40.0%) 20,166	—	—		
Weight Perception	Consider child to be overweight	22.5% (17.0% - 29.1%) 22,521	<b>17.0%</b> (12.0% - 23.5%) 16,032	—	—		
Nutrition	Eats breakfast at home	70.8% (62.9% - 77.6%) 70,679	<b>66.1%</b> (57.5% - 73.7%) 62,237	—	—		
	Ate no fast food in last 7 days	N/A	<b>24.9%</b> (18.5% - 32.7%) 22,856	<b>25.7%</b> (23.9%-27.4%)	<b>22.5%</b> (17.0%-27.9%)		
	Ate dinner with the family everyday	58.8% (52.0% - 65.2%) 58,668	<b>55.3%</b> (46.3% - 64.0%) 52,228	—	—		
Food Insecurity	Cut child meal size or skipped meals due to cost	N/A	<b>10.4%</b> (6.6% - 15.9%) 9,794	—	—		
	Skipped child meals on whole day due to cost	N/A	<b>1.5%</b> (0.4% - 4.9%) 1,390	—	—		
Activity	Engaged in sedentary activities in last week	59.5% (52.8% - 66.0%) 59,131	<b>45.2%</b> (36.6% - 54.2%) 41,290	—	—		
	Physically active every day in last week	N/A	<b>40.0%</b> (31.4% - 49.3%) 36,813	—	—		
	Does not have a safe place to play	N/A	<b>5.6%</b> (3.0% - 10.3%) 5,325	—	—		

\* Significant change from 2007 to 2010

Child (6-17) Learning and Socialization				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
School achievement	Performing poor in academic classes (>=6)	4.3% (2.6% - 6.9%) 4,292	<b>4.3%</b> (2.2% - 8.3%) 4,046	—	—		
	Disciplined in school in last 12 months (>=6)	17.7% (12.8% - 23.9%) 17,512	<b>18.7%</b> (12.8% - 26.6%) 17,653	—	—		
School absenteeism	Missed one or more days in last year	N/A	<b>77.8%</b> (70.47% - 83.9%) 69,594	—	—		
	Missed school due to illness	N/A	<b>18.4%</b> (12.7% - 25.9%) 56,774	—	—		
Child care	Could not find for a week or more in last 12 months (<=12)	N/A	<b>5.6%</b> (3.0% - 10.1%) 3,035	<b>5.0%</b> (1.3% - 8.8%) **	<b>6.2%</b> (5.2% - 7.3%)		
	Could not find child care due to cost (<=12)	N/A	<b>38.1%</b> (16.5% - 65.7%) 1,156	<b>24.2%</b> (21.4%-26.9%) **	<b>23.8%</b> (16.4%-31.2%)		

Legend:



HARC 2010 result at or better than comparison measure

HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable



— = not asked by CHIS or not asked in the same way as HARC survey

**Summary of HARC Results 2007 and 2010  
Compared to Results from National and Regional Surveys  
Child (6 to 17) Survey**

Child (6-17) Learning and Socialization				ERC - U.S. Health Status Comparison			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Parent Discussions	Have not spoken to child about suicide (>=6)	70.5% (63.0% - 77.0%) 70,513	<b>82.7%</b> (76.1% - 87.7%) 77,850	—	—		
	Have not spoken to child about eating disorders (>=6)	64.1% (56.7% - 70.8%) 63,784	<b>77.5%</b> (70.8% - 83.0%) 73,080	—	—		
	Have not spoken to child about interpersonal or domestic violence (>=6)	63.2% (55.9% - 70.1%) 62,754	<b>72.2%</b> (64.1% - 79.1%) 67,984	—	—		
	Have not spoken to child about depression or isolation (>=6)	67.7% (61.5% - 73.4%) 67,395	<b>69.4%</b> (60.9% - 76.9%) 65,560	—	—		
	Have not spoken to child about sexual issues/ pregnancy (>=6)	44.5% (37.7% - 51.6%) 44,198	<b>52.3%</b> (43.7% - 60.9%) 49,425	—	—		
	Have not spoken to child about gangs or violence (>=6)	36.8% (30.9% - 43.2%) 36,775	<b>51.0%</b> (42.3% - 59.6%) 48,138	—	—		
	Have not spoken to child about alcohol (>=6)	32.2% (26.6% - 38.3%) 32,240	<b>44.9%</b> (36.2% - 54.0%) 42,432	—	—		
	Have not spoken to child about smoking (>=6)	33.5% (27.7% - 39.8%) 33,488	<b>43.4%</b> (34.7% - 52.6%) 40,988	—	—		
	Have not spoken to child about drugs (>=6)	29.7% (24.3% - 35.6%) 29,662	<b>40.6%</b> (32.0% - 49.9%) 38,366	—	—		
	Have not spoken to child about dealing with anger (>=6)	31.1% (25.6% - 37.1%) 30,830	<b>37.8%</b> (29.5% - 46.9%) 35,635	—	—		

Child (6-17) Adult Demographics				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Citizenship status	U.S. citizen	70.3% (62.8% - 76.9%) 69,216	<b>79.3%</b> (72.6% - 84.7%) 71,048	—	—		

Child (6-17) Adult Socioeconomic Status				HARC Results vs. Comparison Measures			
Topic	Metric	HARC ERC 2007	HARC ERC 2010	CHIS # Riverside	CHIS CA	HP 2010	HP 2020
Home ownership	Own home	56.5% (49.2% - 63.5%) 55,696	<b>52.7%</b> (43.8% - 61.4%) 48,095	—	—		
Employment Status	Out of Work	7.2% (3.9% - 13.1%) 7,123	<b>10.6%</b> (7.3% - 15.1%) 9,852	—	—		
	Employed in one full-time job	76.7% (69.7% - 82.4%) 50,915	<b>69.7%</b> (58.1% - 79.2%) 43,932	—	—		
Poverty	At or below the FPL	29.5% (22.3% - 37.9%) 26,126	<b>28.5%</b> (21.5%-36.7%) 23,866	16.2% (12.2%-20.2%)	20.9% (19.2%-22.6%)		
	Above 300% FPL	21.2% (16.5% - 26.9%) 18,789	<b>17.2%</b> (12.3% - 23.4%) 14,376	45.5% (37.8%-53.2%)	44.6% (42.7%-46.6%)		

Legend:  HARC 2010 result at or better than comparison measure  
 HARC 2010 result worse than comparison measure

N/A = not asked in 2007

# CHIS data is 2009 unless otherwise indicated

^ = CHIS 2007

+ = CHIS 2005

\*\* statistically unstable

— = not asked by CHIS or not asked in the same way as HARC survey